



SAWING PRODUCTS

CIRCULAR SAW BLADES

Products that are a cut above the rest!

FOR ALL YOUR SAWING NEEDS!

BAND SAW BLADES | CIRCULAR SAW BLADES | BAND SAWING MACHINES | CIRCULAR SAWING MACHINES | CUTTING FLUIDS

Autocut circular saw blades are designed for use in high performance circular sawing machines, with high demands on productivity, accuracy and surface finish. These saw blades have a special tooth geometry for single use, resulting in a smaller kerf and therefore lower energy consumption and less material loss. The program consists of cermet tooth tip material for general purpose cutting of a wide range of materials. The tungsten carbide tooth tip with coating is a typical tip material dedicated for cutting stainless steel.



FEATURES

- Cermet tooth tips and tungsten carbide tooth tips with coating available
- Small kerf tooth tips
- Tight tolerances on body flatness


BENEFITS

- Wide range of sawing applications
- High cutting rates, low energy consumption, low material losses
- Less vibration, low noise level, extended blade life, superb surface finish

APPLICATIONS

- Carbon steel
- Alloy steel
- Stainless steel
- Bearing steel
- Tool steel

Features



Required information choosing the right blade:


- Machine model
- Blade diameter (A)
- Bore (B) and pinholes specifications (C / D / E)
- T= Kerf / t= thickness
- Material type; size and shape

Diameter	Kerf	Body	Bore	Teeth	Circular saw blades																
					no	10	20	30	40	50	60	70	80	90	100	110	120	130	140	150	160
250	2.0	1.70 1.75	32	54																	
				60																	
				72																	
				80																	
				100	□	○															
285	2.0	1.70 1.75	32 40	60																	
				72																	
				80																	
				100																	
				120	□	○															
315	2.3	2.00	32	54																	
				60																	
				72																	
				80																	
				100	□	○															
360	2.6	2.25 2.30	40 50	60																	
				72																	
				80																	
				100																	
				120	□	○															
420 425	2.7	2.25 2.30	40 50	60																	
				72																	
				80																	
				100																	
				120	□	○															
460	2.7	2.25 2.30	40 50	50																	
				60																	
				72																	
				80																	
				100																	
				120																	
580	3.2	2.50	80	60																	
				80																	
				100																	
630	3.2	2.50	80	60																	
				80																	
				100																	



Welcome to DoALL

It started with the metal cutting band saw, invented by our founder Mr. Leighton A. Wilkie in 1933. He was the first to produce all three vital elements for band sawing: sawing machines, band saw blades and cutting fluids. DoALL invented the Bi-Metal band saw blade and released many improvements over the years. Today we are still the trendsetter in band saw blade technology. We have production facilities in the USA; Canada as well as in Europe.



ISO 9001:2015 quality certification

DoALL is committed to provide you, our customer, with the best products and services available. This ambition resulted in the ISO 9001:2015 certification of our quality system.

At your service!

The European Distribution Center is located strategically in Dordrecht, The Netherlands. Our sawing products are distributed throughout Europe including the Russian Federation and the Middle East. Our factory trained local distributors operate their own welding centers to provide fast and local welding service and offer technical support.



Your distributor:



DoALL Europa B.V.
Debijestraat 14
3316 GE Dordrecht
The Netherlands

T
F
E
W

+31(0)78-6526060
+31(0)78-6184085
sales@doall.nl
www.doall.nl



Scan to visit
our website!

